

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 15-Dec-2020 Revision Date 15-Dec-2020 Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name ISOVER Acoustic Roll

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Mineral wool for thermal, acoustic and fire protection insulation

Uses advised against No specific uses advised against are identified

1.3. Details of the supplier of the safety data sheet

Supplier

Saint-Gobain Construction Products (Ireland) Limited Unit 4 Kilcarbery Business Park Nangor Road Dublin 22 D22 R2Y7 Ireland

Tel: +353 (0)1 629 8444

For further information, please contact

E-mail address info@isover.ie

1.4. Emergency telephone number

Emergency telephone ROI: 1800 744480

NI: 0845 3990159

(Monday - Friday, 9am - 5pm)

Europe emergency contact number: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

Hazard statements

Not classified

Additional information

As supplied, this product does not meet the requirements for labelling

2.3. Other hazards

May cause temporary skin irritation by mechanical action. Cutting and handling may create dust. Product dust may be irritating to eyes, skin and respiratory system.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

This product is an article: Mineral wool roll.

Glass Mineral Wool and Stone Mineral Wool - inert vitreous silicate mineral wool bonded with a thermosetting resin, which has been urea extended. Contains up to 0.7% mineral oil.

Chemical nar	me	Weight-%	REACH registration number	EC No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Mineral woo	ol	50 - 100	-	-	Not classified [C]	-	•	-
Mineral oil 8042-47-5		0.1 - <1	-	232-455-8	Not Classified [C]	-	-	-

[[]C] - Components with occupational exposure limits and/or biological occupational exposure limits requiring monitoring

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

No information available

Additional information

Note: EU Index Number: 650-016-00-2 [Man-made vitreous (silicate) fibres with random orientation with alkaline and alkali earth oxides (Na2O+K2O+CaO+ MgO+BaO) content greater than 18% by weight and fulfilling one of the CLP Regulation Annex VI Note Q conditions].

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Get medical attention if irritation or other symptoms occur. Show this safety data sheet to

the doctor in attendance.

Inhalation Remove person to fresh air and keep comfortable for breathing. If symptoms persist, call a

doctor.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and

persists.

Skin contact Wash skin with soap and water. Take off contaminated clothing and wash it before reuse.

Get medical attention if irritation develops and persists.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Product dust may be irritating to eyes, skin and respiratory system. May cause temporary

skin irritation by mechanical action.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Use extinguishing

measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the Th

chemical

The product does not pose a fire hazard, however packaging materials and facings may

burn.

Hazardous combustion products

Thermal decomposition can lead to release of irritating gases and vapours. Carbon

monoxide. Carbon dioxide (CO2).

5.3. Advice for firefighters

Specific/special fire-fighting

measures

Fires need to be assessed to determine appropriate protocols and safety measures for firefighting, including establishing safe zones, extinguishing media to be used, firefighter

protection, and actions to control or extinguish the fire.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Use personal protective equipment as required. Minimise dust

generation and accumulation. Avoid breathing dust. In case of insufficient ventilation, wear

suitable respiratory equipment.

For emergency respondersUse personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Take up mechanically, placing in appropriate containers for disposal. Do not dry sweep

dust. Wet dust with water before sweeping or use a vacuum to collect dust.

Prevention of secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sectionsSee section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid unnecessary

handling of unwrapped product. Ensure adequate ventilation. Avoid generation of dust. Do not breathe dust. If cutting material, use sharp hand tools and avoid power tools. Wash

hands thoroughly after handling.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of

equipment, work area and clothing is recommended. Wash hands and face before breaks and immediately after handling the product. Do not eat, drink or smoke when using this

product. Keep away from food, drink and animal feedingstuffs.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep/store only in original container. Keep in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Specific use(s).

The identified uses for this product are detailed in Section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bul	Igaria	Croatia
Mineral wool	-	-	-		6.0 mg/m ³	TWA: 5 mg/m ³
-				TWA: 1.0	0 fiber/cm3	TWA: 2 fiber/cm3
Chemical name	France	Germany	Germany MAK	Gr	eece	Hungary
Mineral oil	-	TWA: 5 mg/m ³	TWA: 5 mg/m ³		-	TWA: 5 mg/m ³
8042-47-5			Peak: 20 mg/m ³			-
Chemical name	Ireland	Italy	Italy REL	La	atvia	Lithuania
Mineral wool	TWA: 1 fibre/cm3	-	-	TWA: 3 fi	ber/cm3 air	-
-	TWA: 5 mg/m ³					
	STEL: 3 fibre/cm3					
	STEL: 15 mg/m ³					
Mineral oil	-	-	-	TWA:	5 mg/m ³	-
8042-47-5						
Chemical name	Luxembourg	Malta	Netherlands	No	rway	Poland
Mineral wool	-	-	-		-	TWA: 1 fiber/cm3
-						
Chemical name	Portugal	Romania	Slovakia	Slo	venia	Spain
Mineral oil	-	-	-	TWA:	5 mg/m ³	-
8042-47-5				STEL: S	TEL mg/m ³	
Chemical name	S	weden	Switzerland		Uni	ted Kingdom
Mineral wool		-	-		TW	A: 2 fibre/mL
-					TV	/A: 5 mg/m ³

Mineral oil	-	TWA: 5 mg/m ³	-
8042-47-5			

Derived No Effect Level (DNEL) No information available.

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

ventilation or other engineering controls should be used to keep worker exposure below any statutory or recommended limits, if use generates dust, fumes, gas, vapour or mist. Provide extract ventilation at the points where emissions occur. Ensure the ventilation system is

regularly maintained and tested.

Personal protective equipment

Eye/face protection If working with products above head height or in restricted space: Safety glasses with side

shields. Eye protection must conform to standard EN 166.

Hand protection Wear suitable gloves to avoid itching. Gloves must conform to standard EN 374.

Skin and body protectionNo special protective equipment required.

Respiratory protectionNo protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Disposable filtering half mask respirators should comply with European

Standard EN149 or EN405.

FFP1 or FFP2.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of

equipment, work area and clothing is recommended. Wash hands and face before breaks and immediately after handling the product. Do not eat, drink or smoke when using this

product. Keep away from food, drink and animal feedingstuffs.

Environmental exposure controls Avoid creating dust.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Roll
Physical state Solid

Colour Characteristic Odour Characteristic

Odour threshold No information available

 Property
 Values
 Remarks
 • Method

 Melting point / freezing point
 > 600 °C
 None known

 Initial boiling point and boiling range
 No data available
 None known

 Flammability
 No data available
 None known

 Flammability Limit in Air
 None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

No data available Flash point None known No data available **Autoignition temperature** None known **Decomposition temperature** None known

No data available None known pH (as aqueous solution) No data available No information available

Kinematic viscosity No data available None known Dynamic viscosity No data available None known Water solubility Insoluble in water (<0.1 mg/L) None known Solubility(ies) No data available

None known Partition coefficient No data available None known Vapour pressure No data available None known Relative density No data available None known

Bulk density No data available **Liquid Density** No data available

Vapour density No data available None known

Particle characteristics

No information available Particle Size **Particle Size Distribution** No information available

9.2. Other information

9.2.1. Information with regards to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity None under normal use conditions.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Excessive heat.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied. Thermal decomposition can lead to release of irritating gases and vapours. Carbon oxides.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Inhalation of dust in high

concentration may cause irritation of respiratory system.

Eye contact Specific test data for the substance or mixture is not available. Dust contact with the eyes

can lead to mechanical irritation.

Skin contact Specific test data for the substance or mixture is not available. Contact with dust can cause

mechanical irritation or drying of the skin.

Ingestion Specific test data for the substance or mixture is not available. May cause irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Product dust may be irritating to eyes, skin and respiratory system. Fibres may cause

mechanical irritation.

Numerical measures of toxicity

Based on available data, the classification criteria are not met

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Mineral oil	> 5000 mg/kg (Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationBased on available data, the classification criteria are not met.

Component Information	
Mineral wool (-)	
Method	OECD Test No. 404: Acute Dermal Irritation/Corrosion
Results	non-irritant

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Component Information	
Mineral wool (-)	
Results	non-irritant non-irritant

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Component Information	
Mineral wool (-)	
Results	Not a skin sensitiser

Germ cell mutagenicity Based on available data, the classification criteria are not met.

CarcinogenicityBased on available data, the classification criteria are not met. Note: EU Index Number: 650-016-00-2 [Man-made vitreous (silicate) fibres with random orientation with alkaline and

alkali earth oxides (Na2O+K2O+CaO+ MgO+BaO) content greater than 18% by weight and

fulfilling one of the CLP Regulation Annex VI Note Q conditions].

Component Information	
Mineral wool (-)	
Results	Not Carcinogenic

Reproductive toxicityBased on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Not applicable.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Not considered to be harmful to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Mineral wool	EC50: >1000 mg/L	LC50: >1000 mg/L (96h,	-	EC50: >1000 mg/L (3d,
	(3d,	Danio rerio)		Daphnia magna)
	Pseudokirchneriella			
	subcapitata)			
Mineral oil	-	LC50: >10000mg/L	-	-
		(96h, Lepomis		
		macrochirus)		

12.2. Persistence and degradability

Persistence and degradability The methods for determining biodegradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

Bioaccumulation Not likely to bioaccumulate.

Chemical name	Partition coefficient
Mineral oil	>6

12.4. Mobility in soil

Mobility in soil No information available.

Mobility Insoluble in water.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Mineral wool	The substance is not PBT / vPvB
Mineral oil	The substance is not PBT / vPvB PBT assessment does
	not apply

12.6. Endocrine disrupting properties

Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors.

12.7. Other adverse effects

Other adverse effects None known based on information supplied.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

Waste codes / waste designations

according to EWC / AVV

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application

for which the product was used.

SECTION 14: Transport information

<u>IMDG</u>

14.1	UN number or ID number	Not regulated
14.2	UN proper shipping name	Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazards	Not applicable
M	larine pollutant	Not applicable

14.6 Special Precautions for Users Special Provisions

14.7 Maritime transport in bulk

according to IMO instruments

No information available

RID

14.1UN numberNot regulated14.2UN proper shipping nameNot regulated14.3Transport hazard class(es)Not regulated14.4Packing groupNot regulated14.5Environmental hazardsNot applicable

14.6 Special Precautions for Users
Special Provisions None

<u>ADR</u>

14.1 UN number or ID number
 14.2 UN proper shipping name
 14.3 Transport hazard class(es)
 Not regulated
 Not regulated

14.4 Packing group Not regulated14.5 Environmental hazards Not applicable

14.6 Special Precautions for Users
Special Provisions None

IATA

14.1 UN number or ID number
 14.2 UN proper shipping name
 14.3 Transport hazard class(es)
 14.4 Packing group
 14.5 Environmental hazards
 Not regulated Not regulated Not applicable

14.6 Special Precautions for Users
Special Provisions None
Note: None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical name	French RG number	Title
Mineral oil	RG 36bis	-
8042-47-5		

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV). This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Chemical name	Plant protection products directive (91/414/EEC)
Mineral oil - 8042-47-5	Plant protection agent

International Inventories

TSCA Contact supplier for inventory compliance status **DSL/NDSL** Contact supplier for inventory compliance status **EINECS/ELINCS** Contact supplier for inventory compliance status **ENCS** Contact supplier for inventory compliance status **IECSC** Contact supplier for inventory compliance status **KECL** Contact supplier for inventory compliance status Contact supplier for inventory compliance status **PICCS AICS** Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report Not applicable

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorisation:

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Key literature references and sources for data used to compile the SDS

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Issuing Date 15-Dec-2020

Revision Date 15-Dec-2020

Revision Note Initial Release.

Further information This SDS is not mandated under REACH Regulation (EC) No 1907/2006 and is provided

for information only

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet