

# **SEALANT REMOVER**

# PASTE FOR REMOVING CURED SEALANT RESIDUES.



## **STORAGE CONDITIONS**

A minimum of 24 months. Limited shelf life after opening. Store in properly sealed packaging in a dry place at between +5°C and +25°C.

#### PRODUCT DESCRIPTION

Paste for removing cured sealant residues.

#### FIELD OF APPLICATION

Suitable for removing (cured) sealant residues. Suitable for ceramic tiles, glass, metal, synthetics, laminated material, aluminium and enamel.

Not suitable for nylon.

## **PREPARATION**

**Working Conditions:** Only apply at temperatures between +5°C and +40°C.

**Surface Requirements:** The substrate must be properly dry, clean and free of dust and grease. Remove as much of the existing sealant as possible.

Tools: Knife Putty knife Moist cloth

#### **APPLICATION**

#### Directions for use:

Use a brush to apply paste generously on the remaining sealant residues. After about 30 minutes, sealant residue can be removed with a putty knife or a damp cloth for delicate surfaces. If necessary, repeat the treatment. After use, wash with soap and let thoroughly dry.

**Points of attention:** May cause staining on porous materials and painted surfaces.

## **TECHNICAL SPECIFICATIONS**

Density approx.:	0,84 g/cm <sup>3</sup>
Viscosity:	Gel

Our advice is based on extensive research and practical experience. However, in view of the large variety of materials and the conditions under which our products are applied, we assume no responsibility for the results obtained and/or any damage caused by the use of the product. Nevertheless, our Service Department is always at your disposal for any advice needed.