

Printing date 18.08.2022

Version number 32 (replaces version 31)

Revision: 18.08.2022

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

## 1.1 Product identifier

- · Trade name: GRF GASLEAKDETECTOR AE 400ML\*12 L313
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Metal-working product

#### · 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Bison International Dr.A.F.Philipsstraat 9 NL-4462 EW Goes PO Box 160 NL-4460 AD Goes tel. +31 88 3235700 fax. +31 88 3235800

e mail: sds@boltonadhesives.com

#### · Further information obtainable from: Bison QESH

· 1.4 Emergency telephone number:

National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week) Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

### **SECTION 2: Hazards identification**

#### · 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Aerosol 3 H229 Pressurised container: May burst if heated.

#### · 2.2 Label elements

#### · Labelling according to Regulation (EC) No 1272/2008

- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms Void
- · Signal word Warning
- · Hazard statements

H229 Pressurised container: May burst if heated.

#### Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P251 Do not pierce or burn, even after use.
- P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
- 2.3 Other hazards

#### Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 2)

IE-EN



Printing date 18.08.2022

Version number 32 (replaces version 31)

Revision: 18.08.2022

#### Trade name: GRF GASLEAKDETECTOR AE 400ML\*12 L313

(Contd. of page 1)

# **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

· **Description:** Metal working product

| • •   | •   |        |
|---|---|--------|
| <ul> <li>Dangerous components:</li> </ul>                         |   |        |
| CAS: 10024-97-2<br>EINECS: 233-032-0<br>Reg.nr.: 01-2119970538-25 | dinitrogen oxide<br>� Ox. Gas 1, H270; � Press. Gas (Liq.), H280; ∲ STOT<br>SE 3, H336      | 1-2.5% |
| CAS: 137-16-6<br>Reg.nr.: 01-2119527780-39                        | sodiumlaurylsarcosinate<br>Acute Tox. 2, H330; I Eye Dam. 1, H318; I Skin Irrit.<br>2, H315 | <1%    |
| · Additional information: Fo                                      | r the wording of the listed hazard phrases refer to section 16.                             |        |

## **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- After inhalation:

Supply fresh air; consult doctor in case of complaints.

- No special measures required.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions. • 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

## **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
- 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

IE-EN



Printing date 18.08.2022

Version number 32 (replaces version 31)

Revision: 18.08.2022

(Contd. of page 2)

#### Trade name: GRF GASLEAKDETECTOR AE 400ML\*12 L313

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

• **7.1 Precautions for safe handling** No special precautions are necessary if used correctly. • **Information about fire - and explosion protection:** Keep ignition sources away - Do not smoke.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:
- Observe official regulations on storing packagings with pressurised containers.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 2 B
- 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

## 10024-97-2 dinitrogen oxide

OEL (Ireland) Long-term value: 90 mg/m<sup>3</sup>, 50 ppm

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.
- Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- · Material of gloves
- Recommended thickness of the material: > 0,12 mm Nitrile rubber, NBR
- · Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).

· Eye/face protection Not required.

(Contd. on page 4)

IE-EN



Printing date 18.08.2022

Version number 32 (replaces version 31)

Revision: 18.08.2022

#### Trade name: GRF GASLEAKDETECTOR AE 400ML\*12 L313

(Contd. of page 3)

| 9.1 Information on basic physical and che  | mical properties                                  |
|--|---|
| General Information                        |   |
| Physical state                             | Aerosol   |
| Colour:                                    | According to product specification                |
| Odour:                                     | Characteristic                                    |
| Odour threshold:                           | Not determined.                                   |
| Melting point/freezing point:              | 0 °C  |
| Boiling point or initial boiling point and |   |
| boiling range                              | 100 °C  |
| Flammability                               | Not applicable.                                   |
| Lower and upper explosion limit            |   |
| Lower:                                     | 2.6 Vol %   |
| Upper:                                     | 12.6 Vol %  |
| Flash point:                               | Not applicable, as aerosol.                       |
| Decomposition temperature:                 | Not determined.                                   |
| рН   | Not determined.                                   |
| Viscosity:                                 |   |
| Kinematic viscosity                        | Not determined.                                   |
| Dynamic at 20 °C:                          | 0.952 mPas  |
| Solubility                                 |   |
| water:                                     | Not miscible or difficult to mix.                 |
| Partition coefficient n-octanol/water (log |   |
| value)                                     | Not determined.                                   |
| Vapour pressure at 20 °C:                  | 23 hPa  |
| Density and/or relative density            |   |
| Density at 20 °C:                          | 1.04 g/cm³  |
| Relative density                           | Not determined.                                   |
| Vapour density                             | Not determined.                                   |
| 9.2 Other information                      | All relevant physical data were determined for th |
|  | mixture. All non-determined data are no           |
|  | measurable or not relevant for th                 |
|  | characterization of the mixture.                  |
| Appearance:                                |   |
| Form:                                      | Aerosol   |
| Important information on protection of hea | alth  |
| and environment, and on safety.            | Deschart is material firm the                     |
| Auto-ignition temperature:                 | Product is not selfigniting.                      |
| Explosive properties:                      | Not determined.                                   |
| Solvent content:                           | 00.4.%  |
| Water:                                     | 98.4 %  |
| Solids content:                            | 0.3 %   |
| Molecular weight                           | 18.02 g/mol                                       |
| Change in condition                        | Net over Back I.                                  |
| Evaporation rate                           | Not applicable.                                   |
| Information with regard to physical haz    | ard   |
| classes                                    |   |
| Explosives                                 | Void  |

(Contd. on page 5)



Printing date 18.08.2022

Version number 32 (replaces version 31)

Revision: 18.08.2022

#### Trade name: GRF GASLEAKDETECTOR AE 400ML\*12 L313

|                                       | (Contd. of page                             |
|---------------------------------------|---|
| Flammable gases                       | Void  |
| Aerosols                              | Pressurised container: May burst if heated. |
| Oxidising gases                       | Void  |
| Gases under pressure                  | Void  |
| Flammable liquids                     | Void  |
| Flammable solids                      | Void  |
| Self-reactive substances and mixtures | Void  |
| Pyrophoric liquids                    | Void  |
| Pyrophoric solids                     | Void  |
| Self-heating substances and mixtures  | Void  |
| Substances and mixtures, which emit   |   |
| flammable gases in contact with water | Void  |
| Oxidising liquids                     | Void  |
| Oxidising solids                      | Void  |
| Organic peroxides                     | Void  |
| Corrosive to metals                   | Void  |
| Desensitised explosives               | Void  |

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008** • **Acute toxicity** Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

10024-97-2 dinitrogen oxide

Inhalative LC50/4 h 1.06 mg/l (rat)

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity

Not applicable.

Based on available data, the classification criteria are not met.

- Carcinogenicity Based on available data, the classification criteria are not met.
- $\cdot$  Reproductive toxicity Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6)

<sup>-</sup> IE-EN



Printing date 18.08.2022

Version number 32 (replaces version 31)

Revision: 18.08.2022

(Contd. of page 5)

#### Trade name: GRF GASLEAKDETECTOR AE 400ML\*12 L313

· Additional toxicological information:

• Acute effects (acute toxicity, irritation and corrosivity) Not applicable.

• Sensitisation Not applicable.

· Repeated dose toxicity Not applicable.

11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

## **SECTION 12: Ecological information**

#### · 12.1 Toxicity

• Aquatic toxicity: No further relevant information available.

- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes: Not hazardous for water.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packaging:
- · Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

| 14.1 UN number or ID number  |                         |  |
|------------------------------|-------------------------|--|
| ADR/ADN, IMDG, IATA          | UN1950                  |  |
| 14.2 UN proper shipping name |                         |  |
| ADR/ADN                      | 1950 AEROSOLS           |  |
| IMDG                         | AEROSOLS                |  |
| ΙΑΤΑ                         | AEROSOLS, non-flammable |  |



Printing date 18.08.2022

Version number 32 (replaces version 31)

Revision: 18.08.2022

## Trade name: GRF GASLEAKDETECTOR AE 400ML\*12 L313

|   | (Contd. of pag  |
|---|---|
| 14.3 Transport hazard class(es)   |   |
| ADR/ADN   |   |
|   |   |
|   |   |
|   |   |
| Class   | 2 5A Gases.   |
| Label   | 2.2   |
| IMDG, IATA  |   |
|   |   |
|   |   |
|   |   |
| Class   | 2.2 Gases.  |
| Label   | 2.2   |
| 14.4 Packing group  |   |
| ADR/ADN, IMDG, IATA   | not regulated   |
| 14.5 Environmental hazards:   |   |
| Marine pollutant:   | No  |
| 14.6 Special precautions for user   | Warning: Gases.   |
| Hazard identification number (Kemler co   | ode): -   |
| EMS Number:   | F-D,S-U   |
| Stowage Code  | SW1 Protected from sources of heat.<br>SW22 For AEROSOLS with a maximum capa  |
|   | of 1 litre: Category A. For AEROSOLS with   |
|   | capacity above 1 litre: Category B. For WAS   |
|   | AEROSOLS: Category C, Clear of living quarter   |
| Segregation Code  | SG69 For AEROSOLS with a maximum capac  |
|   | of 1 litre:   |
|   | Segregation as for class 9 Stow "separated fro  |
|   |   |
|   | class 1 except for division 1.4.<br>For AEROSOLS with a capacity above 1 litre:   |
|   | class 1 except for division 1.4.<br>For AEROSOLS with a capacity above 1 litre:<br>Segregation as for the appropriate subdivisior   |
|   | class 1 except for division 1.4.<br>For AEROSOLS with a capacity above 1 litre:<br>Segregation as for the appropriate subdivisior<br>class 2.   |
|   | class 1 except for division 1.4.<br>For AEROSOLS with a capacity above 1 litre:<br>Segregation as for the appropriate subdivisior<br>class 2.<br>For WASTE AEROSOLS:  |
|   | class 1 except for division 1.4.<br>For AEROSOLS with a capacity above 1 litre:<br>Segregation as for the appropriate subdivisior<br>class 2.<br>For WASTE AEROSOLS:  |
| 14.7 Maritime transport in bulk accordin  | class 1 except for division 1.4.<br>For AEROSOLS with a capacity above 1 litre:<br>Segregation as for the appropriate subdivision<br>class 2.<br>For WASTE AEROSOLS:<br>Segregation as for the appropriate subdivision<br>class 2.  |
| 14.7 Maritime transport in bulk accordin<br>IMO instruments                             | class 1 except for division 1.4.<br>For AEROSOLS with a capacity above 1 litre:<br>Segregation as for the appropriate subdivision<br>class 2.<br>For WASTE AEROSOLS:<br>Segregation as for the appropriate subdivision<br>class 2.  |
| IMO instruments   | class 1 except for division 1.4.<br>For AEROSOLS with a capacity above 1 litre:<br>Segregation as for the appropriate subdivision<br>class 2.<br>For WASTE AEROSOLS:<br>Segregation as for the appropriate subdivision<br>class 2.  |
|   | class 1 except for division 1.4.<br>For AEROSOLS with a capacity above 1 litre:<br>Segregation as for the appropriate subdivisior<br>class 2.<br>For WASTE AEROSOLS:<br>Segregation as for the appropriate subdivisior<br>class 2.<br><b>Pg to</b><br>Not applicable.<br>On passenger aircraft/rail: 75 kg                                    |
| IMO instruments<br>Transport/Additional information:                                    | class 1 except for division 1.4.<br>For AEROSOLS with a capacity above 1 litre:<br>Segregation as for the appropriate subdivisior<br>class 2.<br>For WASTE AEROSOLS:<br>Segregation as for the appropriate subdivisior<br>class 2.  |
| IMO instruments<br>Transport/Additional information:<br>Quantity limitations<br>ADR/ADN | class 1 except for division 1.4.<br>For AEROSOLS with a capacity above 1 litre:<br>Segregation as for the appropriate subdivision<br>class 2.<br>For WASTE AEROSOLS:<br>Segregation as for the appropriate subdivision<br>class 2.<br><b>Ing to</b><br>Not applicable.<br>On passenger aircraft/rail: 75 kg<br>On cargo aircraft only: 150 kg |
| IMO instruments<br>Transport/Additional information:                                    | For AEROSOLS with a capacity above 1 litre:<br>Segregation as for the appropriate subdivision<br>class 2.<br>For WASTE AEROSOLS:<br>Segregation as for the appropriate subdivision<br>class 2.<br>Ing to<br>Not applicable.<br>On passenger aircraft/rail: 75 kg  |



Printing date 18.08.2022

Version number 32 (replaces version 31)

Revision: 18.08.2022

#### Trade name: GRF GASLEAKDETECTOR AE 400ML\*12 L313

|   | (Contd. of page 7)  |
|---|---|
| · Excepted quantities (EQ)  | Code: E0<br>Not permitted as Excepted Quantity  |
| <ul> <li>Transport category</li> <li>Tunnel restriction code</li> </ul> | 3<br>E  |
| ·IMDG   |   |
| · Limited quantities (LQ)   | 1L  |
| Excepted quantities (EQ)  | Code: E0  |
|   | Not permitted as Excepted Quantity  |
| · Remarks:  | Under certain conditions substances in Class 3 (flammable liquids) can be classified in packinggroup III. |
|   | See IMDG, Part 2, Chapter 2.3, Paragraph 2.3.2.2  |
| · UN "Model Regulation":  | UN 1950 AEROSOLS, 2.2   |

### **SECTION 15: Regulatory information**

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H270 May cause or intensify fire; oxidiser.

H280 Contains gas under pressure; may explode if heated.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H336 May cause drowsiness or dizziness.

(Contd. on page 9)



Printing date 18.08.2022

Version number 32 (replaces version 31)

Revision: 18.08.2022

#### Trade name: GRF GASLEAKDETECTOR AE 400ML\*12 L313

| <ul> <li>Contact: Reach coordinator</li> <li>Date of previous version: 22.01.2022</li> <li>Version number of previous version: 31</li> <li>Abbreviations and acronyms: <ul> <li>ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concer the International Carriage of Dangerous Goods by Road)</li> <li>IMDG: International Maritime Code for Dangerous Goods</li> <li>IATA: International Air Transport Association</li> <li>GHS: Globally Harmonised System of Classification and Labelling of Chemicals</li> <li>EINECS: European Inventory of Existing Commercial Chemical Substances</li> <li>ELINCS: European List of Notified Chemical Substances</li> <li>CAS: Chemical Abstracts Service (division of the American Chemical Society)</li> <li>LCS0: Lethal concentration, 50 percent</li> <li>L950: Lethal dose, 50 percent</li> <li>PBT: Persistent, Bioaccumulative and Toxic</li> <li>vPvB: very Persistent and very Bioaccumulative</li> <li>Aerosol 3: Aerosols – Category 3</li> <li>OX. Gas 1: Oxidizing gases – Category 1</li> <li>Press. Gas (Liq.): Gases under pressure – Liquefied gas</li> <li>Acute Tox. 2: Acute toxicity – Category 2</li> <li>Skin Irrit. 2: Skin corrosion/irritation – Category 1</li> <li>STOT SE 3: Specific target organ toxicity (single exposure) – Category 3</li> </ul> </li> </ul>   |              | ation according to Regulation (EC) No 1272/2008 |
|--|--------------|---|
| <ul> <li>Department issuing SDS: Bison QESH</li> <li>Contact: Reach coordinator</li> <li>Date of previous version: 22.01.2022</li> <li>Version number of previous version: 31</li> <li>Abbreviations and acronyms:</li> <li>ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concern the International Carriage of Dangerous Goods by Road)</li> <li>IMDG: International Maritime Code for Dangerous Goods</li> <li>IATA: International Maritime Code for Dangerous Goods</li> <li>IATA: International Miritime Code for Dangerous Goods</li> <li>IATA: International Air Transport Association</li> <li>GHS: Globally Harmonised System of Classification and Labelling of Chemicals</li> <li>ElINCS: European Inventory of Existing Commercial Chemical Substances</li> <li>ELINCS: European List of Notified Chemical Substances</li> <li>CAS: Chemical Abstracts Service (division of the American Chemical Society)</li> <li>LC50: Lethal concentration, 50 percent</li> <li>DST: Persistent, Bioaccumulative and Toxic</li> <li>vPVB: very Persistent and very Bioaccumulative</li> <li>Aerosol 3: Aerosols – Category 3</li> <li>Ox. Gas 1: Oxidizing gases – Category 1</li> <li>Press. Gas (Liq.): Gases under pressure – Liquefied gas</li> <li>Acute Tox. 2: Acute toxicity – Category 2</li> <li>Skin Irrit. 2: Skin corrosion/irritation – Category 1</li> <li>STOT SE 3: Specific target organ toxicity (single exposure) – Category 3</li> </ul> |              |   |
| <ul> <li>Contact: Reach coordinator</li> <li>Date of previous version: 22.01.2022</li> <li>Version number of previous version: 31</li> <li>Abbreviations and acronyms: <ul> <li>ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concern the International Carriage of Dangerous Goods by Road)</li> <li>IMDG: International Maritime Code for Dangerous Goods</li> <li>IATA: International Air Transport Association</li> <li>GHS: Globally Harmonised System of Classification and Labelling of Chemicals</li> <li>EINECS: European Inventory of Existing Commercial Chemical Substances</li> <li>ELINCS: European List of Notified Chemical Substances</li> <li>CAS: Chemical Abstracts Service (division of the American Chemical Society)</li> <li>LCS0: Lethal concentration, 50 percent</li> <li>L950: Lethal dose, 50 percent</li> <li>PBT: Persistent, Bioaccumulative and Toxic</li> <li>vPVB: very Persistent and very Bioaccumulative</li> <li>Aerosol 3: Aerosols – Category 3</li> <li>OX. Gas 1: Oxidizing gases – Category 1</li> <li>Press. Gas (Liq.): Gases under pressure – Liquefied gas</li> <li>Acute Tox. 2: Acute toxicity – Category 2</li> <li>Skin Irrit. 2: Skin corrosion/irritation – Category 1</li> <li>STOT SE 3: Specific target organ toxicity (single exposure) – Category 3</li> </ul> </li> </ul>  | Aerosols     | Bridging principles                             |
| <ul> <li>Contact: Reach coordinator</li> <li>Date of previous version: 22.01.2022</li> <li>Version number of previous version: 31</li> <li>Abbreviations and acronyms: <ul> <li>ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concern the International Carriage of Dangerous Goods by Road)</li> <li>IMDG: International Maritime Code for Dangerous Goods</li> <li>IATA: International Air Transport Association</li> <li>GHS: Globally Harmonised System of Classification and Labelling of Chemicals</li> <li>EINECS: European Inventory of Existing Commercial Chemical Substances</li> <li>ELINCS: European List of Notified Chemical Substances</li> <li>CAS: Chemical Abstracts Service (division of the American Chemical Society)</li> <li>LCS0: Lethal concentration, 50 percent</li> <li>L950: Lethal dose, 50 percent</li> <li>PBT: Persistent, Bioaccumulative and Toxic</li> <li>vPVB: very Persistent and very Bioaccumulative</li> <li>Aerosol 3: Aerosols – Category 3</li> <li>OX. Gas 1: Oxidizing gases – Category 1</li> <li>Press. Gas (Liq.): Gases under pressure – Liquefied gas</li> <li>Acute Tox. 2: Acute toxicity – Category 2</li> <li>Skin Irrit. 2: Skin corrosion/irritation – Category 1</li> <li>STOT SE 3: Specific target organ toxicity (single exposure) – Category 3</li> </ul> </li> </ul>  | · Departm    | ent issuing SDS: Bison QESH                     |
| <ul> <li>Version number of previous version: 31</li> <li>Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concern<br/>the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPVB: very Persistent and very Bioaccumulative Aerosol 3: Aerosols – Category 3 Ox. Gas 1: Oxidizing gases – Category 1 Press. Gas (Liq.): Gases under pressure – Liquefied gas Acute Tox. 2: Acute toxicity – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3</li></ul>  |              |   |
| <ul> <li>Version number of previous version: 31</li> <li>Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concern<br/>the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPVB: very Persistent and very Bioaccumulative Aerosol 3: Aerosols – Category 3 Ox. Gas 1: Oxidizing gases – Category 1 Press. Gas (Liq.): Gases under pressure – Liquefied gas Acute Tox. 2: Acute toxicity – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3</li></ul>  | · Date of r  | previous version: 22 01 2022                    |
| <ul> <li>Abbreviations and acronyms:</li> <li>ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concern<br/>the International Carriage of Dangerous Goods by Road)</li> <li>IMDG: International Maritime Code for Dangerous Goods</li> <li>IATA: International Air Transport Association</li> <li>GHS: Globally Harmonised System of Classification and Labelling of Chemicals</li> <li>EINECS: European Inventory of Existing Commercial Chemical Substances</li> <li>ELINCS: European List of Notified Chemical Substances</li> <li>CAS: Chemical Abstracts Service (division of the American Chemical Society)</li> <li>LC50: Lethal concentration, 50 percent</li> <li>LD50: Lethal dose, 50 percent</li> <li>PBT: Persistent, Bioaccumulative and Toxic</li> <li>vPVB: very Persistent and very Bioaccumulative</li> <li>Aerosol 3: Aerosols – Category 3</li> <li>Ox. Gas 1: Oxidizing gases – Category 1</li> <li>Press. Gas (Liq.): Gases under pressure – Liquefied gas</li> <li>Acute Tox. 2: Acute toxicity – Category 2</li> <li>Skin Irrit. 2: Skin corrosion/irritation – Category 1</li> <li>STOT SE 3: Specific target organ toxicity (single exposure) – Category 3</li> </ul>  |              |   |
| ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concern<br>the International Carriage of Dangerous Goods by Road)<br>IMDG: International Maritime Code for Dangerous Goods<br>IATA: International Air Transport Association<br>GHS: Globally Harmonised System of Classification and Labelling of Chemicals<br>EINECS: European Inventory of Existing Commercial Chemical Substances<br>ELINCS: European List of Notified Chemical Substances<br>CAS: Chemical Abstracts Service (division of the American Chemical Society)<br>LC50: Lethal concentration, 50 percent<br>D50: Lethal dose, 50 percent<br>PBT: Persistent, Bioaccumulative and Toxic<br>vPvB: very Persistent and very Bioaccumulative<br>Aerosol 3: Aerosols – Category 3<br>Ox. Gas 1: Oxidizing gases – Category 1<br>Press. Gas (Liq.): Gases under pressure – Liquefied gas<br>Acute Tox. 2: Acute toxicity – Category 2<br>Skin Irrit. 2: Skin corrosion/irritation – Category 1<br>STOT SE 3: Specific target organ toxicity (single exposure) – Category 3   |              | •   |
| the International Carriage of Dangerous Goods by Road)<br>IMDG: International Maritime Code for Dangerous Goods<br>IATA: International Air Transport Association<br>GHS: Globally Harmonised System of Classification and Labelling of Chemicals<br>EINECS: European Inventory of Existing Commercial Chemical Substances<br>ELINCS: European List of Notified Chemical Substances<br>CAS: Chemical Abstracts Service (division of the American Chemical Society)<br>LC50: Lethal concentration, 50 percent<br>D50: Lethal dose, 50 percent<br>PBT: Persistent, Bioaccumulative and Toxic<br>vPvB: very Persistent and very Bioaccumulative<br>Aerosol 3: Aerosols – Category 3<br>Ox. Gas 1: Oxidizing gases – Category 1<br>Press. Gas (Liq.): Gases under pressure – Liquefied gas<br>Acute Tox. 2: Acute toxicity – Category 2<br>Skin Irit. 2: Skin corrosion/irritation – Category 1<br>STOT SE 3: Specific target organ toxicity (single exposure) – Category 3   |              |   |
| IMDG: International Maritime Code for Dangerous Goods<br>IATA: International Air Transport Association<br>GHS: Globally Harmonised System of Classification and Labelling of Chemicals<br>EINECS: European Inventory of Existing Commercial Chemical Substances<br>ELINCS: European List of Notified Chemical Substances<br>CAS: Chemical Abstracts Service (division of the American Chemical Society)<br>LC50: Lethal concentration, 50 percent<br>D50: Lethal dose, 50 percent<br>PBT: Persistent, Bioaccumulative and Toxic<br>vPvB: very Persistent and very Bioaccumulative<br>Aerosol 3: Aerosols – Category 3<br>Ox. Gas 1: Oxidizing gases – Category 1<br>Press. Gas (Liq.): Gases under pressure – Liquefied gas<br>Acute Tox. 2: Acute toxicity – Category 2<br>Skin Irrit. 2: Skin corrosion/irritation – Category 2<br>Eye Dam. 1: Serious eye damage/eye irritation – Category 1<br>STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  |              |   |
| IATA: International Air Transport Association<br>GHS: Globally Harmonised System of Classification and Labelling of Chemicals<br>EINECS: European Inventory of Existing Commercial Chemical Substances<br>ELINCS: European List of Notified Chemical Substances<br>CAS: Chemical Abstracts Service (division of the American Chemical Society)<br>LC50: Lethal concentration, 50 percent<br>D50: Lethal dose, 50 percent<br>PBT: Persistent, Bioaccumulative and Toxic<br>vPvB: very Persistent and very Bioaccumulative<br>Aerosol 3: Aerosols – Category 3<br>Ox. Gas 1: Oxidizing gases – Category 1<br>Press. Gas (Liq.): Gases under pressure – Liquefied gas<br>Acute Tox. 2: Acute toxicity – Category 2<br>Skin Irrit. 2: Skin corrosion/irritation – Category 2<br>Eye Dam. 1: Serious eye damage/eye irritation – Category 1<br>STOT SE 3: Specific target organ toxicity (single exposure) – Category 3   |              |   |
| EINECS: European Inventory of Existing Commercial Chemical Substances<br>ELINCS: European List of Notified Chemical Substances<br>CAS: Chemical Abstracts Service (division of the American Chemical Society)<br>LC50: Lethal concentration, 50 percent<br>LD50: Lethal dose, 50 percent<br>PBT: Persistent, Bioaccumulative and Toxic<br>vPvB: very Persistent and very Bioaccumulative<br>Aerosol 3: Aerosols – Category 3<br>Ox. Gas 1: Oxidizing gases – Category 1<br>Press. Gas (Liq.): Gases under pressure – Liquefied gas<br>Acute Tox. 2: Acute toxicity – Category 2<br>Skin Irrit. 2: Skin corrosion/irritation – Category 1<br>STOT SE 3: Specific target organ toxicity (single exposure) – Category 3   |              |   |
| ELINCS: European List of Notified Chemical Substances<br>CAS: Chemical Abstracts Service (division of the American Chemical Society)<br>LC50: Lethal concentration, 50 percent<br>LD50: Lethal dose, 50 percent<br>PBT: Persistent, Bioaccumulative and Toxic<br>vPvB: very Persistent and very Bioaccumulative<br>Aerosol 3: Aerosols – Category 3<br>Ox. Gas 1: Oxidizing gases – Category 1<br>Press. Gas (Liq.): Gases under pressure – Liquefied gas<br>Acute Tox. 2: Acute toxicity – Category 2<br>Skin Irrit. 2: Skin corrosion/irritation – Category 2<br>Eye Dam. 1: Serious eye damage/eye irritation – Category 1<br>STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  |              |   |
| CAS: Chemical Abstracts Service (division of the American Chemical Society)<br>LC50: Lethal concentration, 50 percent<br>LD50: Lethal dose, 50 percent<br>PBT: Persistent, Bioaccumulative and Toxic<br>vPvB: very Persistent and very Bioaccumulative<br>Aerosol 3: Aerosols – Category 3<br>Ox. Gas 1: Oxidizing gases – Category 1<br>Press. Gas (Liq.): Gases under pressure – Liquefied gas<br>Acute Tox. 2: Acute toxicity – Category 2<br>Skin Irrit. 2: Skin corrosion/irritation – Category 2<br>Eye Dam. 1: Serious eye damage/eye irritation – Category 1<br>STOT SE 3: Specific target organ toxicity (single exposure) – Category 3   |              |   |
| LC50: Lethal concentration, 50 percent<br>LD50: Lethal dose, 50 percent<br>PBT: Persistent, Bioaccumulative and Toxic<br>vPvB: very Persistent and very Bioaccumulative<br>Aerosol 3: Aerosols – Category 3<br>Ox. Gas 1: Oxidizing gases – Category 1<br>Press. Gas (Liq.): Gases under pressure – Liquefied gas<br>Acute Tox. 2: Acute toxicity – Category 2<br>Skin Irrit. 2: Skin corrosion/irritation – Category 2<br>Eye Dam. 1: Serious eye damage/eye irritation – Category 1<br>STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  |              |   |
| LD50: Lethal dose, 50 percent<br>PBT: Persistent, Bioaccumulative and Toxic<br>vPvB: very Persistent and very Bioaccumulative<br>Aerosol 3: Aerosols – Category 3<br>Ox. Gas 1: Oxidizing gases – Category 1<br>Press. Gas (Liq.): Gases under pressure – Liquefied gas<br>Acute Tox. 2: Acute toxicity – Category 2<br>Skin Irrit. 2: Skin corrosion/irritation – Category 2<br>Eye Dam. 1: Serious eye damage/eye irritation – Category 1<br>STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  |              |   |
| PBT: Persistent, Bioaccumulative and Toxic<br>vPvB: very Persistent and very Bioaccumulative<br>Aerosol 3: Aerosols – Category 3<br>Ox. Gas 1: Oxidizing gases – Category 1<br>Press. Gas (Liq.): Gases under pressure – Liquefied gas<br>Acute Tox. 2: Acute toxicity – Category 2<br>Skin Irrit. 2: Skin corrosion/irritation – Category 2<br>Eye Dam. 1: Serious eye damage/eye irritation – Category 1<br>STOT SE 3: Specific target organ toxicity (single exposure) – Category 3   |              |   |
| vPvB: very Persistent and very Bioaccumulative<br>Aerosol 3: Aerosols – Category 3<br>Ox. Gas 1: Oxidizing gases – Category 1<br>Press. Gas (Liq.): Gases under pressure – Liquefied gas<br>Acute Tox. 2: Acute toxicity – Category 2<br>Skin Irrit. 2: Skin corrosion/irritation – Category 2<br>Eye Dam. 1: Serious eye damage/eye irritation – Category 1<br>STOT SE 3: Specific target organ toxicity (single exposure) – Category 3   |              |   |
| Aerosol 3: Aerosols – Category 3<br>Ox. Gas 1: Oxidizing gases – Category 1<br>Press. Gas (Liq.): Gases under pressure – Liquefied gas<br>Acute Tox. 2: Acute toxicity – Category 2<br>Skin Irrit. 2: Skin corrosion/irritation – Category 2<br>Eye Dam. 1: Serious eye damage/eye irritation – Category 1<br>STOT SE 3: Specific target organ toxicity (single exposure) – Category 3   |              |   |
| Press. Gas (Liq.): Gases under pressure – Liquefied gas<br>Acute Tox. 2: Acute toxicity – Category 2<br>Skin Irrit. 2: Skin corrosion/irritation – Category 2<br>Eye Dam. 1: Serious eye damage/eye irritation – Category 1<br>STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  | Aerosol 3: A | Aerosols – Category 3                           |
| Acute Tox. 2: Acute toxicity – Category 2<br>Skin Irrit. 2: Skin corrosion/irritation – Category 2<br>Eye Dam. 1: Serious eye damage/eye irritation – Category 1<br>STOT SE 3: Specific target organ toxicity (single exposure) – Category 3   |              |   |
| Skin Irrit. 2: Skin corrosion/irritation – Ćategory 2<br>Eye Dam. 1: Serious eye damage/eye irritation – Category 1<br>STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  |              |   |
| Eye Dam. 1: Serious eye damage/eye irritation – Category 1<br>STOT SE 3: Specific target organ toxicity (single exposure) – Category 3   |              |   |
| STOT SE 3: Specific target organ toxicity (single exposure) – Category 3   |              |   |
|  |              |   |
|  |              | ompared to the previous version altered.        |