

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

EVO-STIK TECH TANKING SYSTEM Supercedes Date: 28-Oct-2020

Revision date 26-May-2021 **Revision Number** 1.03

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

EVO-STIK TECH TANKING SYSTEM Product Name

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Dispersion. Coatings.

None known Uses advised against

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik GmbH An der Bundesstrasse 16 33829 Borgholzhausen, Germany Tel: +49 (0) 5425 / 801 0

Fax: +49 (0) 5425 / 801 140

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

Emergency Telephone

United Kingdom +44 (1785) 272650

+353 (1) 8624900 (Monday- Friday 9am-5pm) Ireland

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin sensitisation Category 1 - (H317)

2.2. Label elements

Contains 2-methyl-2H-isothiazol-3-one [MIT], 1,2-benzisothiazol-3(2H)-one [BIT], reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]



Signal word Warning

Hazard statements

H317 - May cause an allergic skin reaction.

EVO-STIK TECH TANKING SYSTEM Supercedes Date: 28-Oct-2020

•

-

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P261 - Avoid breathing mist/vapours/spray

P280 - Wear protective gloves

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of crystalline silica is unlikely to occur from exposure to this product.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Quartz	238-878-4	14808-60-7	>25 - <40	۸		[4]
Quartz (fine fraction)	238-878-4	14808-60-7	1 - <5	STOT RE 1 (H372)		[4]
Titanium dioxide	236-675-5	13463-67-7	0.1 - <1	Carc. 2 (H351i)		01-2119489379- 17-XXXX
1,2-benzisothiazol-3(2H) -one [BIT]	220-120-9	2634-33-5	0.01 - <0.05	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Acute Tox. 2 (H330) Aquatic Chronic 2 (H411) M Factor Acute =1	Skin Sens. 1 :: C>=0.05%	01-2120761540- 60-XXXX
Bronopol	200-143-0	52-51-7	0.01 - <0.05	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Skin Irrit. 2 (H315) Eye Dam. 1 (H318)		01-2119980938- 15-XXXX

Revision date 26-May-2021

EVO-STIK TECH TANKING SYSTEM Supercedes Date: 28-Oct-2020

Revision date 26-May-2021 Revision Number 1.03

Teaction mass of 5-chloro-2-methyl-2H-isothiazol-3 one (3:1) [C(M) T/M T] Teaction mass of 5-chloro-2-methyl-2H-isothiazol-3 one (3:1) [C(M) T/M T] Teaction mass of 5-chloro-1 one (3:1) [C(M) T/M T] Teaction mass of 5-chloro-2-methyl-2H-isothiazol-3 one (3:1) [C(M) T/M T] Teaction mass of 5-chloro-2-methyl-2H-isothiazol-3 one (3:1) [C(M) T/M T] Teaction mass of 5-chloro-2-methyl-2H-isothiazol-3 one (3:1) [C(M) T/M T] Teaction mass of 5-chloro-2-methyl-2H-isothiazol-3 one (3:1) [C(M) T/M T] Teaction mass of 5-chloro-2-methyl-2H-isothiazol-3 one (3:1) [C(M) T/M T] Teaction mass of 5-chloro-2-methyl-2H-isothiazol-3 one (3:1) [C(M) T/M T] Teaction mass of 5-chloro-2-methyl-2H-isothiazol-3 one (3:1) [C(M) T/M T] Teaction mass of 5-chloro-2-methyl-2H-isothiazol-3 one (3:1) [C(M) T/M T] Teaction mass of 5-chloro-2-methyl-2H-isothiazol-3 one (3:1) [C(M) T/M T] Teaction mass of 5-chloro-2-methyl-2H-isothiazol-3 one (3:1) [C(M) T/M T] Teaction mass of 5-chloro-2-methyl-2H-isothiazol-3 one (3:1) [C(M) T/M T] Teaction mass of 5-chloro-2-methyl-2H-isothiazol-3 one (3:1) [C(M) T/M T] Teaction mass of 5-chloro-2-methyl-2H-isothiazol-3 one (3:1) [C(M) T/M T] Teaction mass of 5-chloro-2-methyl-2H-isothiazol-3 one (3:1) [C(M) T/M T] Teaction mass of 5-chloro-2-methyl-2H-isothiazol-3 one (3:1) [C(M) T/M T] Teaction mass of 5-chloro-2-methyl-2H-isothiazol-3 one (3:1) [C(M) T/M T] Teaction mass of 5-chloro-2-methyl-2H-isothiazol-3 one (3:1) [C(M) T/M T] Teaction mass of 5-chloro-2-methyl-2H-isothiazol-3 one (3:1) [C(M) T/M T] Teaction mass of 5-chloro-2-methyl-2H-isothiazol-3 one (3:1) [C(M) T/M T] Teaction mass of 5-chloro-2-methyl-2H-isothiazol-3 one (3:1) [C(M) T/M T] Teaction mass of 5-chloro-2-methyl-2H-isothiazol-3 one (3:1) [C(M) T/M T] Teaction mass of 5-chloro-2-methyl-2H-isothiazol-3 one (3:1) [C(M) T/M T] Teaction mass of 5-chloro-2-methyl-2H-isothiazol-3 one (3:1) [C(M) T/M T] Teaction mass of 5-chloro-3 one (3:1) [C(M) T/M T/M T/M T/M T/M T/
Comparison Co
Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) M Factor Acute = 10
Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) M Factor Acute = 10
CH4000 Aquatic Chronic 1 (H410) M Factor Acute = 10
Aquatic Chronic 1 (H410) M Factor Acute = 10 O1-2120764690- Sun Sens. 1 :: C>=0.0015% Sun Sens. 1 :: C>=0.0015% Sun Sens. 1 :: C>=0.0015% Sun Sens. 1 :: O1-2120764690- Sun Sens. 1 :: O1-2120764691-
2-methyl-2H-isothiazol-3 -one [MIT]
2-methyl-2H-isothiazol-3 -one [MIT] 2-methyl-2H-isothiazol-3 -one [MIT] 2-methyl-2H-isothiazol-3 -one [MIT] 2-methyl-2H-isothiazol-3 -one [MIT] 2-methyl-2H-isothiazol-3 -one (3:1) [C(M) T/MIT] Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3 -one (3:1) [C(M) T/MIT] M Factor Acute M Factor Acute (H-314) (H-318) (H-316) (H-316)
2-methyl-2H-isothiazol-3
2-methyl-2H-isothiazol-3 -one [MIT] 220-239-6 2682-20-4 0.0015 - < 0.011 Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Acute Tox. 3 (H301) Acute Tox. 2 (H330) Aquatic Acute 1 (H410) M Factor Acute = 10 M Factor Chronic - 1 (H301) Acute Tox. 3 (H301) Acute Tox. 2 (H330) Aquatic Corr. 1C - 1 (H410) M Factor Chronic - 1 - 1 0.0015 Eye Dam. 1 :: C>=0.0015 01-2120764690- 50-xxxx 01-2120764690- 1 (H310) Acute Tox. 2 (H301) Acute Tox. 2 (H310) Acute Tox. 2 (H310) Acute Tox. 2 (H330) Skin Corr. 1C :: C>=0.6% Skin Corr. 1C :: C>=0.6% Skin Corr. 1C :: C>=0.6% Skin Sens. 1 :: C>=0.0015%
2-methyl-2H-isothiazol-3 -one [MIT] 220-239-6 2682-20-4 0.0015 - < 0.01 Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Acute Tox. 3 (H301) Acute Tox. 2 (H330) Aquatic Acute 1 (H440) M Factor Acute =10 M Factor Chronic -1 (H410) M Factor Chronic -1 (H410) M Factor Chronic -1 (H301) Acute Tox. 2 (H301) Acute Tox. 3 (H301) Acute Tox. 2 (H301) Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute To
Cone [MIT] Cone [MIT] Eye Dam. 1 Cone [MIT] Cone [MIT] Eye Dam. 1 Cone [MIT] Con
Eye Dam. 1 (H318) Skin Sens. 1A (H317) Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) M Factor Acute = 10 M Factor Chronic = 1 Acute Tox. 2 (H310) Acute Tox. 2 (H310) Acute Tox. 3 (H311) Acute Tox. 3 (H311) Acute Tox. 3 (H301) Acute Tox. 3 (H301) Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 2 (H310) Acute Tox. 2 (H330) Skin Corr. 1C :: C>=0.6% Skin Corr. 1C :: C>=0.6% Skin Sens. 1 :: Eye Dam. 1 (H318) C>=0.0015% C>=0.00
CH318 Skin Sens. 1A (H317) CH317
Skin Sens. 1A (H317) Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) M Factor Chronic = 10 M Factor Chronic = 10 M Factor Chronic = 11 Acute Tox. 2 (H301) Acute Tox. 3 (H301) Acute Tox. 3 (H301) Acute Tox. 3 (H301) Acute Tox. 2 (H301) Acute
Skin Sens. 1A (H317) Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) M Factor Chronic = 10 M Factor Chronic = 10 M Factor Chronic = 11 Acute Tox. 2 (H301) Acute Tox. 3 (H301) Acute Tox. 3 (H301) Acute Tox. 3 (H301) Acute Tox. 2 (H301) Acute
CH317 Acute Tox. 3 (H301) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Acute Tox. 2 (H301) Acute Tox. 3 (H301) Acute Tox. 2 (H300) Acute Tox. 3 (H300) A
Acute Tox. 3 (H301)
CH301) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) M Factor Acute = 10 M Factor Chronic = 1
Acute Tox. 3 (H311) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) M Factor Acute =10 M Factor Chronic = 1 reaction mass of 5-chloro-2-methyl-2H-iso thiazol-3-one (3:1) [C(M)IT/MIT] -one (3:1) [C(M)IT/MIT] Acute Tox. 3 (H301) Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 2 (H310) Acute Tox. 2 (H310) Acute Tox. 2 (H330) Skin Corr. 1C :: C>=0.6% Skin Irrit. 2 :: 0.06%<=C<0.6% Skin Irrit. 2 :: 0.06%<=C<0.6% Skin Irrit. 2 :: 0.06%<=C<0.6% Skin Sens. 1 :: Eye Dam. 1 (H314) Eye Dam. 1 (H318)
CH311 Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) M Factor Acute = 10 M Factor Chronic = 1 Acute Tox. 3 (H301) C>=0.6% Irrit. 2 :: 0.06%<=C<0.6% Corr. 1C :: 0.06%<=C<0.06% Corr. 1C :: 0.06% Corr. 1C ::
Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) M Factor Acute =10 M Factor Chronic = 1 C>=0.6% Irrit. 2 :: H310) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) M Factor Acute =10 M Factor Chronic = 1 Acute Tox. 3 (H301) C>=0.6% Irrit. 2 :: Acute Tox. 2 (H310) Acute Tox. 2 (H310) Acute Tox. 2 (H330) Skin Corr. 1C :: C>=0.6% Skin Irrit. 2 :: Acute Tox. 2 (H330) Skin Corr. 1C :: C>=0.6% Skin Irrit. 2 :: C>=0.6% Skin Sens. 1 :: Eye Dam. 1 C>=0.6% Skin Sens. 1 :: C>=0.0015%
Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) M Factor Acute =10 M Factor Chronic = 1 C>=0.6% Irrit. 2 :: H310) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) M Factor Acute =10 M Factor Chronic = 1 Acute Tox. 3 (H301) C>=0.6% Irrit. 2 :: Acute Tox. 2 (H310) Acute Tox. 2 (H310) Acute Tox. 2 (H330) Skin Corr. 1C :: C>=0.6% Skin Irrit. 2 :: Acute Tox. 2 (H330) Skin Corr. 1C :: C>=0.6% Skin Irrit. 2 :: C>=0.6% Skin Sens. 1 :: Eye Dam. 1 C>=0.6% Skin Sens. 1 :: C>=0.0015%
CH330 Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) M Factor Acute = 10 M Factor Chronic = 1 C C C C C C C C C
Aquatic Acute 1
CH400 Aquatic Chronic 1 (H410) M Factor Acute = 10 M Factor Chronic = 1 C C C C C C C C C
Aquatic Chronic 1 (H410) M Factor Acute = 10 M Factor Chronic = 1 M Factor Chronic = 10 M Factor Acute Tox. 3 C>=0.6% Irrit. 2 :: 0.06%<=C<0.6% Skin Corr. 1C :: C>=0.6% Skin Corr. 1C :: C>=0.6% Skin Irrit. 2 :: 0.06%<=C<0.6% Skin Irrit. 2 :: 0.06%<=C<0.6% Skin Irrit. 2 :: 0.06%<=C<0.6% Skin Sens. 1 :: C>=0.0015% M Factor Acute Tox. 2 M Factor Chronic = 10 M Factor Chronic = 10 M Factor Acute Tox. 3 C>=0.6% Irrit. 2 :: 0.06%<=C<0.6% M Factor Chronic = 10
Aquatic Chronic 1 (H410) M Factor Acute = 10 M Factor Chronic = 1 M Factor Chronic = 10 M Factor Acute Tox. 3 C>=0.6% Irrit. 2 :: 0.06%<=C<0.6% Skin Corr. 1C :: C>=0.6% Skin Corr. 1C :: C>=0.6% Skin Irrit. 2 :: 0.06%<=C<0.6% Skin Irrit. 2 :: 0.06%<=C<0.6% Skin Irrit. 2 :: 0.06%<=C<0.6% Skin Sens. 1 :: C>=0.0015% M Factor Acute Tox. 2 M Factor Chronic = 10 M Factor Chronic = 10 M Factor Acute Tox. 3 C>=0.6% Irrit. 2 :: 0.06%<=C<0.6% M Factor Chronic = 10
reaction mass of 5-chloro-2-methyl-2H-iso thiazol-3-one (3:1) [C(M)IT/MIT] Teaction mass of 5-chloro-2-methyl-2H-iso thiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] Teaction mass of 5-chloro-2-methyl-2H-iso thiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] Teaction mass of 6-11-341-5
M Factor Acute
reaction mass of 5-chloro-2-methyl-2H-iso thiazol-3 -one (3:1) [C(M)IT/MIT]
reaction mass of 5-chloro-2-methyl-2H-iso thiazol-3-one (3:1) [C(M)IT/MIT]
reaction mass of 5-chloro-2-methyl-2H-iso thiazol-3-one (3:1) [C(M)IT/MIT]
reaction mass of 5-chloro-2-methyl-2H-iso thiazol-3-one (3:1) [C(M)IT/MIT]
reaction mass of 5-chloro-2-methyl-2H-iso thiazol-3-one (3:1) [C(M)IT/MIT]
5-chloro-2-methyl-2H-iso thiazol-3-one and 2-methyl-2H-isothiazol-3 -one (3:1) [C(M)IT/MIT]
thiazol-3-one and 2-methyl-2H-isothiazol-3 -one (3:1) [C(M)IT/MIT] Acute Tox. 2 (H310) Acute Tox. 2 (H330) Skin Corr. 1C:: C>=0.6% Skin Irrit. 2:: 0.06%<=C<0.6% Skin Irrit. 2:: 0.06%<=C<0.6% Skin Sens. 1:: Eye Dam. 1 (H318)
2-methyl-2H-isothiazol-3 -one (3:1) [C(M)IT/MIT] (H310) Acute Tox. 2 (H330) Skin Corr. 1C (H314) Eye Dam. 1 (H318) Skin Corr. 1C :: C>=0.6% Skin Irrit. 2 :: 0.06%<=C<0.6% Skin Sens. 1 :: C>=0.0015%
-one (3:1) [C(M)IT/MIT] Acute Tox. 2
-one (3:1) [C(M)IT/MIT] Acute Tox. 2
(H330) Skin Irrit. 2 :: Skin Corr. 1C 0.06%<=C<0.6% (H314) Skin Sens. 1 :: Eye Dam. 1 C>=0.0015% (H318)
Skin Corr. 1C 0.06%<=C<0.6% (H314) Skin Sens. 1 :: Eye Dam. 1 C>=0.0015% (H318)
(H314) Skin Sens. 1 :: Eye Dam. 1 C>=0.0015% (H318)
Eye Dam. 1
(H318)
(H318)
I I I I I I I I I I I I I I I I I I I
Skin Sens. 1A
Aquatic Acute 1
H400)
Aquatic Chronic
1
1 (H410)
M Factor Acute =
M Factor Acute =

NOTE [4] - This substance is exempted from registration according to the provisions of Article 2(7)(a) and Annex IV of REACH

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

EVO-STIK TECH TANKING SYSTEM Supercedes Date: 28-Oct-2020

_

4.1. Description of first aid measures

General advice If medical advice is needed, have product container or label at hand.

Inhalation Remove to fresh air. (Call a doctor if symptoms occur).

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses

and continue flushing for at least 15 minutes. Get medical attention if irritation develops

Revision date 26-May-2021

Revision Number 1.03

and persists.

Skin contactWash with soap and water. In the case of skin irritation or allergic reactions see a doctor.

Ingestion Do NOT induce vomiting. If swallowed, rinse mouth with water (only if the person is

conscious). Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors May cause sensitisation in susceptible persons. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapours.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Special protective equipment and Wear self contained breathing apparatus for fire fighting if necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid breathing vapours or mists. Ensure adequate ventilation. Use personal protective

equipment as required. Do not get in eyes, on skin, or on clothing.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent product from entering drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Methods for containment Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and place in container for disposal according to local /

national regulations (see Section 13).

EVO-STIK TECH TANKING SYSTEM Supercedes Date: 28-Oct-2020

Methods for cleaning upTake up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Avoid breathing vapours or mists. Ensure adequate ventilation. Use personal protection

equipment. Avoid contact with skin, eyes or clothing.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after

work. Take off all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Protect from frost. Keep containers tightly closed in a dry, cool and well-ventilated place.

Keep away from food, drink and animal feedingstuffs.

7.3. Specific end use(s)

Specific use(s)

Dispersion. Coatings.

Identified uses

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Ireland	United Kingdom
Quartz	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³
14808-60-7		STEL: 0.3 mg/m ³	_
Barium sulfate	-	TWA: 5 mg/m ³	TWA: 10 mg/m ³
7727-43-7		STEL: 15 mg/m ³	TWA: 4 mg/m ³
			STEL: 30 mg/m ³
			STEL: 12 mg/m ³
Quartz (fine fraction)	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³
14808-60-7	•	STEL: 0.3 mg/m ³	-
Kaolin	-	TWA: 2 mg/m ³	TWA: 2 mg/m ³
1332-58-7			STEL: 6 mg/m ³
Titanium dioxide	-	TWA: 10 mg/m ³	TWA: 10 mg/m ³
13463-67-7		TWA: 4 mg/m ³	TWA: 4 mg/m ³
		STEL: 30 mg/m ³	STEL: 30 mg/m ³
		STEL: 12 mg/m ³	STEL: 12 ma/m ³

Derived No Effect Level (DNEL) No information available

Derived	No Effect Level (DNEL)	
Quartz (14808-60-7)		

Titanium dioxide (13463-67-7)

Revision date 26-May-2021

EVO-STIK TECH TANKING SYSTEM Supercedes Date: 28-Oct-2020

Revision date 26-May-2021 Revision Number 1.03

			
Туре	Exposure route	Derived No Effect Level	Safety factor
		(DNEL)	
worker	Inhalation	10 mg/m³	
Long term			
Local health effects			

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Inhalation	6.81 mg/m ³	
worker Long term Systemic health effects	Dermal	0.966 mg/kg bw/d	

Derived No Effect Level (DNEL)					
Quartz (fine fraction) (14808-60-	Quartz (fine fraction) (14808-60-7)				
Titanium dioxide (13463-67-7)					
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
Consumer Long term Systemic health effects	Oral	700 mg/kg bw/d			

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Inhalation	1.2 mg/m³	
Consumer Long term Systemic health effects	Dermal	0.345 mg/kg bw/d	

Predicted No Effect Concentration No information available. **(PNEC)**

Predicted No Effect Concentration (PNEC)	
Quartz (fine fraction) (14808-60-7)	
Titanium dioxide (13463-67-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Marine water	0.0184 mg/l
Freshwater sediment	1000 mg/kg
Freshwater	0.184 mg/l
Marine sediment	100 mg/kg
Soil	100 mg/kg
Microorganisms in sewage treatment	100 mg/l
Freshwater - intermittent	0.193 mg/l

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)		
Environmental compartment	Predicted No Effect Concentration (PNEC)	
Freshwater	4.03 μg/l	
Marine water	0.403 μg/l	
Sewage treatment plant	1.03 mg/l	
Freshwater sediment	49.9 µg/l	
Marine sediment	4.99 µg/l	
Soil	3 mg/kg dry weight	

EVO-STIK TECH TANKING SYSTEM Supercedes Date: 28-Oct-2020

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Eye protection must conform to

standard EN 166.

Hand protection Wear suitable gloves. Gloves must conform to standard EN 374. Recommended Use:.

Neoprene™. Nitrile rubber. Butyl rubber. Glove thickness > 0.7mm. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time for the

Revision date 26-May-2021

Revision Number 1.03

mentioned glove material is in general greater than 480 min.

Skin and body protection Wear suitable protective clothing.

Ensure adequate ventilation, especially in confined areas. During spraying wear suitable Respiratory protection

respiratory equipment.

Wear a respirator conforming to EN 140 with Type A/P2 filter or better. Recommended filter type:

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid

Appearance

Grey Brown Colour

Characteristic Slight Odour **Odour threshold** No information available

Property Values Remarks • Method

7 - 9 pН

pH (as aqueous solution) No data available

0 °C Melting point / freezing point 100 °C Initial boiling point and boiling

range

Flash point Not applicable . °C **Evaporation rate** No data available

Flammability Not applicable for liquids .

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

hPa @ 50 °C 120 Vapour pressure

No data available Relative vapour density

Relative density 1.1 - 1.3 None known

Miscible in water Water solubility Solubility(ies) No data available **Partition coefficient** No data available No data available **Autoignition temperature Decomposition temperature** No data available Kinematic viscosity No data available Dynamic viscosity approx 15 - 25 Pa.s No data available

Explosive properties Oxidising properties No data available

9.2. Other information

Solid content (%) No information available

VOC Content (%)

Liquid Density 1.1 - 1.3 g/cm³

EVO-STIK TECH TANKING SYSTEM

Supercedes Date: 28-Oct-2020

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Stable under recommended storage conditions.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical

None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Protect from frost.

10.5. Incompatible materials

Incompatible materialsNone known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition

products

None under normal use conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact May cause sensitisation by skin contact.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Revision date 26-May-2021

EVO-STIK TECH TANKING SYSTEM Supercedes Date: 28-Oct-2020

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Quartz 14808-60-7	>2000 mg/kg (Rattus)		
Quartz (fine fraction) 14808-60-7	>2000 mg/kg (Rattus)		
Titanium dioxide 13463-67-7	>10000 mg/kg (Rattus)	LD50 > 10000 mg/Kg	>5 mg/l
1,2-benzisothiazol-3(2H)-one [BIT] 2634-33-5	=670 mg/kg (Rattus)	LD50 > 2000 mg/kg (Rattus)	
Bronopol 52-51-7	=180 mg/kg (Rattus)	= 1600 mg/kg (Rattus)	=800 mg/m ³ (Rattus) 4 h > 5 g/m ³ (Rattus) 6 h
2-methyl-2H-isothiazol-3-one [MIT] 2682-20-4	LD50 =285 mg/Kg (Rattus)	LD50 >242 mg/Kg (Rattus)	=0.11 mg/L (Rattus) 4 h
reaction mass of 5-chloro-2-methyl-2H-isothiazo I-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] 55965-84-9	=53 mg/kg (Rattus)	LD50 = 87.12 mg/kg (Oryctolagus cuniculus)	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationBased on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Chemical name	European Union
Titanium dioxide	Carc. 2
13463-67-7	

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposureBased on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Revision date 26-May-2021

EVO-STIK TECH TANKING SYSTEM Supercedes Date: 28-Oct-2020

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Titanium dioxide 13463-67-7	LC50 (96h) >10000 mg/l (Cyprinodon variegatus) OECD 203	•	,	-		
1,2-benzisothiazol-3(2 H)-one [BIT] 2634-33-5	EC50 3Hr 13mg/l (activated sludge) (OECD 209)	LC50 (96hr) 2.15 mg/l Cyprinodon variegatus EPA 540/9-85-006	-	EC50(48hr) 2.94 mg/l (Daphnia Magna) OECD 202	1	
Bronopol 52-51-7	EC50 (72h) = 0,068 mg/l (Anabaena flos aqua) (OECD 201)	LC50 (96h) = 3 mg/L (Oncorhynchus mykiss) (OECD 203)	EC50 = 0.41 mg/L 30 min EC50 = 0.50 mg/L 15 min EC50 = 0.91 mg/L 5 min	EC50 (48h) =1.4 mg/L (Daphnia magna, static) (OECD 202)	10	1
2-methyl-2H-isothiazol- 3-one [MIT] 2682-20-4	EC50 (72hr) 0.157 mg/l (Pseudokirchner iella subcapitata) (OECD 201)	EC50 (96hr) 5.71 mg/l (Oncorhynchus mykiss) OECD 203	-	EC50 (48hr) 1.68 mg/l (Daphnia) (OECD 202)	10	1
reaction mass of 5-chloro-2-methyl-2H-is othiazol-3-one and 2-methyl-2H-isothiazol- 3-one (3:1) [C(M)IT/MIT] 55965-84-9	(Pseudokirchner	EC50 (96h) = 0.22 mg/L (Oncorhynchus mykiss) (OECD 211)	-	EC50 (48h) =0.1 mg/L (Daphnia magna) (OECD 202)	100	100

12.2. Persistence and degradability

Persistence and degradability No information available.

Component Information				
2-methyl-2H-isothiazol-3-one [MIT] (2682-20-4)				
Method	Exposure time	Value	Results	
OECD Test No. 308: Aerobic and		Half-life	1.28-2.1 days	
Anaerobic Transformation in				
Aquatic Sediment Systems				
OECD Test No. 309: Aerobic		biodegradation Half-life	Readily biodegradable 4.1	

Revision date 26-May-2021 Revision Number 1.03

EVO-STIK TECH TANKING SYSTEM

Supercedes Date: 28-Oct-2020

Mineralization in Surface Water -		days
Simulation Biodegradation Test	<u> </u>	

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
Quartz 14808-60-7	-	0
1,2-benzisothiazol-3(2H)-one [BIT] 2634-33-5	0.7	6.95
Bronopol 52-51-7	0.22	3.15
2-methyl-2H-isothiazol-3-one [MIT] 2682-20-4	-0.32	3.16
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] 55965-84-9	-	3.16

12.4. Mobility in soil

No information available. Mobility in soil

12.5. Results of PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB. PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
Titanium dioxide	The substance is not PBT / vPvB
13463-67-7	PBT assessment does not apply
1,2-benzisothiazol-3(2H)-one [BIT]	The substance is not PBT / vPvB
2634-33-5	
Bronopol	The substance is not PBT / vPvB
52-51-7	
2-methyl-2H-isothiazol-3-one [MIT]	The substance is not PBT / vPvB
2682-20-4	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	The substance is not PBT / vPvB
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	
55965-84-9	

12.6. Other adverse effects

Other adverse effects No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

Revision date 26-May-2021

EVO-STIK TECH TANKING SYSTEM

Supercedes Date: 28-Oct-2020

Contaminated packaging Handle contaminated packages in the same way as the product itself.

European Waste Catalogue 08 04 09* waste adhesives and sealants containing organic solvents or other dangerous

substances

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

Note: Keep from freezing.

Land transport (ADR/RID)

14.1UN number or ID numberNot regulated14.2Proper Shipping NameNot regulated14.3Transport hazard class(es)Not regulated14.4Packing groupNot regulated14.5Environmental hazardsNot applicable14.6Special ProvisionsNone

IMDG

14.1 UN number or ID numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Marine pollutantNP

14.5 Marine pollutant NP 14.6 Special Provisions None

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable

14.6 Special Provisions None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Revision date 26-May-2021

EVO-STIK TECH TANKING SYSTEM

Supercedes Date: 28-Oct-2020

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide: Contains C(M)IT/MIT (3:1). May produce an allergic reaction

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H310 - Fatal in contact with skin

H311 - Toxic in contact with skin

H312 - Harmful in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H330 - Fatal if inhaled

H335 - May cause respiratory irritation

H372 - Causes damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Ceiling Limit Value
* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

Revision date 26-May-2021

EVO-STIK TECH TANKING SYSTEM Supercedes Date: 28-Oct-2020

Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 26-May-2021

Indication of changes

Revision note SDS sections updated, 15.

Training Advice When working with hazardous materials, regular training of operators is required by law

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Revision date 26-May-2021