

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

BOSTIK PVA
Supercedes Date: 04-Feb-2021
Revision date 10-Aug-2022
Revision Number 1.04

\_\_\_

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product Name BOSTIK PVA

Pure substance/mixture Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use** Primers, Sealers, and Undercoaters

Uses advised against None known

#### 1.3. Details of the supplier of the safety data sheet

#### **Company Name**

Bostik Limited Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

#### 1.4. Emergency telephone number

United Kingdom +44 (1785) 272650

Ireland NPIC - National Poison Information Centre

Members of the Public: +353 (01) 8092166 (8.00 am to 10.00 pm - 7 days a week)

Healthcare Professionals: +353 (01) 8092566 (24 hour service)

Europe 112

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### 2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### Signal word

None

#### Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### **EU Specific Hazard Statements**

EUH208 - Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

United Kingdom - BE Page 1 / 13

BOSTIK PVA
Supercedes Date: 04-Feb-2021
Revision date 10-Aug-2022
Revision Number 1.04

[C(M)IT/MIT]. May produce an allergic reaction

#### Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

#### 2.3. Other hazards

Material becomes extremely slippery when wet. Harmful to aquatic life.

#### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

## SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Vinyl acetate	203-545-4	108-05-4	0.1- <1	STOT SE 3 (H335) Carc. 2 (H351) Acute Tox. 4 (H332) Flam Liq. 2 (H225) Aquatic Chronic 3 (H412)	-	01-2119471301- 50-XXXX
Methyl alcohol	200-659-6	67-56-1	0.1- <1	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) STOT SE 1 (H370) Flam. Liq. 2 (H225)	STOT SE 1 :: C>=10% STOT SE 2 :: 3%<=C<10%	01-2119392409- 28-XXXX
reaction mass of 5-chloro-2-methyl-2H-iso thiazol-3-one and 2-methyl-2H-isothiazol-3 -one (3:1) [C(M)IT/MIT]	611-341-5	55965-84-9	<0.0015	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 2 (H330) Skin Corr. 1C (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1	Eye Dam. 1 ::  C>=0.6% Eye Irrit. 2 ::  0.06%<=C<0.6% Skin Corr. 1C ::  C>=0.6% Skin Irrit. 2 ::  0.06%<=C<0.6% Skin Sens. 1 ::  C>=0.0015%	01-2120764691- 48-XXXX

United Kingdom - BE Page 2 / 13

**BOSTIK PVA** Revision date 10-Aug-2022 Supercedes Date: 04-Feb-2021 **Revision Number** 1.04

(H410)

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. If medical advice is needed,

have product container or label at hand.

Inhalation IF exposed or concerned: Get medical advice/attention. Remove to fresh air.

Eve contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper

eyelids. Consult a doctor.

Skin contact In the case of skin irritation or allergic reactions see a doctor. Wash skin with soap and

water.

Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never Ingestion

give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

No information available. **Symptoms** 

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

## SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the Suitable Extinguishing Media

surrounding environment.

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

No information available.

**Hazardous combustion products** Carbon oxides.

5.3. Advice for firefighters

precautions for fire-fighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## SECTION 6: Accidental release measures

United Kingdom - BE Page 3 / 13

BOSTIK PVA

Supercedes Date: 04-Feb-2021

Revision date 10-Aug-2022

Revision Number 1.04

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

**Environmental precautions** See Section 12 for additional Ecological Information.

## 6.3. Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

**Advice on safe handling**Use personal protective equipment as required.

**General hygiene considerations** Handle in accordance with good industrial hygiene and safety practice.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep container tightly closed in a dry and well-ventilated place.

Recommended storage

temperature

Keep at temperatures between 5 and 35 °C.

#### 7.3. Specific end use(s)

Specific use(s)

Primers, Sealers, and Undercoaters.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

#### **Exposure Limits**

Chemical name	European Union	United Kingdom
Vinyl acetate	TWA: 5 ppm	TWA: 5 ppm
108-05-4	TWA: 17.6 mg/m <sup>3</sup>	TWA: 17.6 mg/m <sup>3</sup>
	STEL: 10 ppm	STEL: 10 ppm
	STEL: 35.2 mg/m <sup>3</sup>	STEL: 35.2 mg/m <sup>3</sup>
Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 260 mg/m <sup>3</sup>	TWA: 266 mg/m <sup>3</sup>
	*	STEL: 250 ppm
		STEL: 333 mg/m <sup>3</sup>
		Sk*

United Kingdom - BE Page 4 / 13

BOSTIK PVA

Supercedes Date: 04-Feb-2021

Revision date 10-Aug-2022

Revision Number 1.04

\_\_\_\_\_

\_\_\_

Chemical name	European Union	Ireland	United Kingdom
Methyl alcohol	-	15 mg/L (urine - Methanol end of	-
67-56-1		shift)	

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DN	EL)		
Vinyl acetate (108-05-4)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Inhalation	17.6 mg/m³	
worker Short term Systemic health effects	Inhalation	35.2 mg/m <sup>3</sup>	
worker Long term Local health effects	Inhalation	17.6 mg/m <sup>3</sup>	
worker Short term Local health effects	Inhalation	35.2 mg/m <sup>3</sup>	
worker Long term Systemic health effects	Dermal	0.42 mg/kg bw/d	

# **Predicted No Effect Concentration** No information available. **(PNEC)**

Predicted No Effect Concentration (PNEC)				
Vinyl acetate (108-05-4)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Freshwater	0.016 mg/l			
Marine water	0.002 mg/l			
Microorganisms in sewage treatment	6 mg/l			
Freshwater sediment	0.067 mg/kg dry weight			
Marine sediment	0.007 mg/kg dry weight			
Soil	0.004 mg/kg dry weight			

#### 8.2. Exposure controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

**Eye/face protection**Wear safety glasses with side shields (or goggles). Avoid contact with eyes. **Hand protection**Wear protective gloves. Gloves must conform to standard EN 374. Ensure that the

breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time of the gloves depends on the material and the thickness as well as the temperature. Gloves should be

replaced regularly and if there is any sign of damage to the glove material.

**Skin and body protection Respiratory protection**Wear protective gloves and protective clothing.

During spraying wear suitable respiratory equipment.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

United Kingdom - BE Page 5 / 13

BOSTIK PVA

Supercedes Date: 04-Feb-2021

Revision date 10-Aug-2022

Revision Number 1.04

Physical stateLiquidAppearanceViscousColourWhite

Odour Slight, Petroleum.
Odour threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Melting point / freezing point 0 °C Initial boiling point and boiling 100 °C

range

Flammability Not applicable for liquids .

Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash point No data available Not applicable
Autoignition temperature No data available None known
Decomposition temperature None known

None known

None known

pH 4 - 6

pH (as aqueous solution)

No data available

None known

No data available

None known

Dynamic viscosity
Water solubility
Solubility(ies)
No data available
Dispersible.
No data available

Solubility(ies)No data availableNone knownPartition coefficientNo data availableNone knownVapour pressureNo data availableNone knownRelative density1.05 -None known

Bulk Density
No data available
Liquid Density
No data available
No data available

Relative vapour density No data available None known

Particle characteristics

Particle Size No information available Particle Size Distribution No information available

9.2. Other information

Solid content (%) 28

VOC content No data available

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

## **SECTION 10: Stability and reactivity**

10.1. Reactivity

**Reactivity** No information available.

10.2. Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical None.

impact

Sensitivity to static discharge None.

United Kingdom - BE Page 6 / 13

BOSTIK PVA

Supercedes Date: 04-Feb-2021

Revision date 10-Aug-2022

Revision Number 1.04

\_\_\_

#### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

**Incompatible materials**None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

## **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Based on available data, the classification criteria are not met.

**Eye contact** Based on available data, the classification criteria are not met.

**Skin contact**Based on available data, the classification criteria are not met.

**Ingestion** Based on available data, the classification criteria are not met.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

Acute toxicity

#### **Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 87,527.40 mg/kg ATEmix (inhalation-dust/mist) 338.40 mg/l ATEmix (inhalation-vapour) 2,026.30 mg/l

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Vinyl acetate	=2900 mg/kg (Rattus)	= 2335 mg/kg (Oryctolagus	=11.4 mg/L (Rattus) 4 h =
		cuniculus)	3680 ppm (Rattus) 4 h
Methyl alcohol	=2500 mg/kg (Rattus)	200-1000 mg/kg (Oryctolagus	=22500 ppm (Rattus) 8 h =
		cuniculus)	64000 ppm (Rattus) 4 h
reaction mass of	= 53 mg/kg (Rat)	LD50 = 87.12 mg/kg	= 0.33 mg/L (Rat) 4h
5-chloro-2-methyl-2H-isothiazo		(Oryctolagus cuniculus)	-
I-3-one and			
2-methyl-2H-isothiazol-3-one			
(3:1) [C(M)IT/MIT]			

United Kingdom - BE Page 7 / 13

**BOSTIK PVA** 

Supercedes Date: 04-Feb-2021

Revision date 10-Aug-2022 Revision Number 1.04

\_\_\_\_\_

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Vinyl acetate (108-05-4)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit	Dermal			Non-irritant
Acute Dermal					
Irritation/Corrosion					

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Vinyl acetate (108-05-4)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	eye			Non-irritant
Acute Eye					
Irritation/Corrosion					

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Vinyl acetate (108-05-4)

Method	Species	Exposure route	Results
OECD Test No. 429: Skin	Mouse		No sensitisation responses
Sensitisation: Local Lymph Node			were observed
Assay			

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Component Information Vinyl acetate (108-05-4)

<b>J</b>		
Method	Species	Results
OECD Test No. 473: In vitro Mammalian	Human lymphocytes, in vitro	Mutagenic
Chromosome Aberration Test		
OECD Test No. 471: Bacterial Reverse		Not mutagenic in AMES Test
Mutation Test		

## Carcinogenicity

Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component Information Vinyl acetate (108-05-4)

Method	Species	Results
OECD Test No. 453: Combined Chronic	Rat	Carcinogenic
Toxicity/Carcinogenicity Studies		

Chemical name	European Union
Vinyl acetate	Carc. 2

Reproductive toxicity

Based on available data, the classification criteria are not met.

Vinyl acetate (108-05-4)

Method	Species	Results
	0,000.00	

United Kingdom - BE Page 8 / 13

BOSTIK PVA

Supercedes Date: 04-Feb-2021

Revision date 10-Aug-2022

Revision Number 1.04

	<del></del>	
OECD Test No. 416: Two-Generation Reproduction Toxicity	Rat	NOAEL 100 mg/kg bw/d

**STOT - single exposure** Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Vinyl acetate (108-05-4)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 408: Repeated Dose 90-Day Oral Toxicity Study in Rodents	Mouse, female	Oral		91 days	NOAEL: 281 mg/kg
OECD Test No. 408: Repeated Dose 90-Day Oral Toxicity Study in Rodents	Mouse, male	Oral		91 days	NOAEL 285 mg/kg
OECD Test No. 408: Repeated Dose 90-Day Oral Toxicity Study in Rodents	Rat, male	Oral		91 days	NOAEL 684 mg/kg
OECD Test No. 408: Repeated Dose 90-Day Oral Toxicity Study in Rodents	Rat, female	Oral		91 days	NOAEL 810 mg/kg

**Aspiration hazard** 

Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

## 11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** 

11.2.2. Other information

Other adverse effects No information available.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

**Ecotoxicity** Harmful to aquatic life.

Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
	plants		microorganisms			(long-term)
Vinyl acetate	-	LC50 96 h = 14	EC50 = 2080	EC50 48 h =		
108-05-4		mg/L	mg/L 5 min	12.6 mg/L		
		(Pimephales		(Daphnia magna		
		promelas static)		)		
Methyl alcohol	-	LC50: >100mg/L	EC50 = 39000	-		
67-56-1		(96h,	mg/L 25 min			
		Pimephales	EC50 = 40000			
		promelas) LC50:	mg/L 15 min			
		18 - 20mL/L	EC50 = 43000			
		(96h,	mg/L 5 min			
		Oncorhynchus				
		mykiss) LC50:				

United Kingdom - BE Page 9 / 13

BOSTIK PVA Revision date 10-Aug-2022 Supercedes Date: 04-Feb-2021 Revision Number 1.04

\_\_\_\_\_

			<del></del>			
		=28200mg/L				
		(96h,				
		Pimephales				
		promelas) LC50:				
		13500 -				
		17600mg/L (96h,				
		Lepomis				
		macrochirus)				
		LC50: 19500 -				
		20700mg/L (96h,				
		Oncorhynchus				
		mykiss)				
reaction mass of	EC50 (72h)	EC50 (96h) =	-	EC50 (48h) =0.1	100	100
5-chloro-2-methyl-2H-is	=0.048 mg/L	0.22 mg/L		mg/L (Daphnia		
othiazol-3-one and	(Pseudokirchner	(Oncorhynchus		magna) (OECD		
2-methyl-2H-isothiazol-		mykiss) (OECD		202)		
3-one (3:1)	(OECD 201)	211)				
[C(M)IT/MIT]						
55965-84-9						

#### 12.2. Persistence and degradability

Persistence and degradability

No information available.

Vinyl acetate (108-05-4)

Method	Exposure time	Value	Results
OECD Test No. 301C: Ready	14 days	82-92% biodegradation	Readily biodegradable
Biodegradability: Modified MITI Test	-	_	_
(I) (TG 301 C)			

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] (55965-84-9)

Method	Exposure time	Value	Results
OECD Test No. 301B: Ready	28 days	biodegradation	Not readily biodegradable
Biodegradability: CO2 Evolution Test			
(TG 301 B)			

### 12.3. Bioaccumulative potential

#### **Bioaccumulation**

**Component Information** 

Chemical name	Partition coefficient
Vinyl acetate	0.73
Methyl alcohol	-0.77
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	0.7
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	

### 12.4. Mobility in soil

Mobility in soil No information available.

## 12.5. Results of PBT and vPvB assessment

**PBT and vPvB assessment** The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Vinyl acetate	The substance is not PBT / vPvB PBT assessment does
	not apply
Methyl alcohol	The substance is not PBT / vPvB PBT assessment does
·	not apply Further information relevant for the PBT
	assessment is necessary

United Kingdom - BE Page 10 / 13

BOSTIK PVA

Supercedes Date: 04-Feb-2021

Revision date 10-Aug-2022

Revision Number 1.04

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]

#### 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

#### 12.7. Other adverse effects

No information available.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste from residues/unused products

Dispose of contents/container in accordance with local, regional, national, and

international regulations as applicable.

**Contaminated packaging** Do not reuse empty containers.

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

## SECTION 14: Transport information

#### Land transport (ADR/RID)

14.1	UN number or ID number	not regulated
14.2	Proper Shipping Name	Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazards	Not applicable
14.6	Special Provisions	None

### IMDG

14.1 UN number or ID number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
4.4.E. Marina mallutant	ND

14.5 Marine pollutant NP
14.6 Special Provisions None

**14.7 Maritime transport in bulk** Not applicable

according to IMO instruments

#### Air transport (ICAO-TI / IATA-DGR)

	<u>·_</u>
14.1 UN number or ID number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	None

## Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **European Union**

United Kingdom - BE Page 11 / 13

**BOSTIK PVA** Revision date 10-Aug-2022 Supercedes Date: 04-Feb-2021

**Revision Number** 1.04

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

#### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### **SVHC: Substances of Very High Concern for Authorisation:**

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No	Restricted substance per REACH Annex XVII
Methyl alcohol	67-56-1	69. 75.

#### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

#### Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide: Contains C(M)IT/MIT (3:1). May produce an allergic reaction

## Named dangerous substances per Seveso Directive (2012/18/EU)

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
Methyl alcohol - 67-56-1	500	5000

#### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

### **Persistent Organic Pollutants**

Not applicable

## National regulations

#### 15.2. Chemical safety assessment

Exposure scenario

#### **SECTION 16: Other information**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

### Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapour

H301 - Toxic if swallowed

H310 - Fatal in contact with skin

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

United Kingdom - BE Page 12/13

BOSTIK PVA

Supercedes Date: 04-Feb-2021

Revision date 10-Aug-2022

Revision Number 1.04

\_\_\_\_\_

H318 - Causes serious eye damage

H330 - Fatal if inhaled H331 - Toxic if inhaled H332 - Harmful if inhaled

H335 - May cause respiratory irritation H351 - Suspected of causing cancer H370 - Causes damage to organs

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects H412 - Harmful to aquatic life with long lasting effects

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Ceiling Limit Value
\* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

IMDG International Maritime Dangerous Goods (IMDG)
IATA International Air Transport Association (IATA)

RID Regulations concerning the International Transport of Dangerous Goods by Rail

#### Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 10-Aug-2022

Indication of changes

Revision note Not applicable.

Training Advice No information available

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

United Kingdom - BE Page 13 / 13