

Sienna

Versatile, contemporary paving.

Sienna is a modern textured block paving product ideal for use in contemporary schemes. With a natural granite appearance and in a range of natural, long lasting colours, Sienna is an attractive and practical block paving solution.

- Manufactured with natural granite aggregates
- Superb hard-wearing granite surface
- Vibrant long-lasting colours
- Creates a striking, contemporary look





208 x 173mm

Single Sizes



50mn

Depths







Pedestr

Light

Refer to relevant guidance in BS 7533





Sienna



Specification



| Product type | Concrete Paving Block |
|-------------------------------|---|
| Manufactured to | BS EN 1338:2003 |
| Surface Layer | Hard-wearing surface layer with a minimum of 4mm and >350kgs/m³ cement |
| Surface Finish | Textured Granite Aggregate |
| Granite Content | Not less than 53% of granite aggregate in surface layer for Silver and Graphite. |
| Efflorescence | Minimum 12 hour vapour curing to significantly reduce the possibility of efflorescence |
| Strength | Typical tensile splitting strength of >3.6MPa |
| Slip/Skid risk | Extremely Low |
| Installed to | B\$ 7533-3:2005 |
| NSS | Plus Q24110 Create 45-20-64/400 |
| Tolerances on Dimensions (mm) | Length ±2mm, width ±2mm, thickness ±3mm |
| Abrasion Resistance | Class 3 |
| Durability (Freeze-thaw) | Class 3 |
| External Fire Performance | Deemed to satisfy. See Commission Decision 2000/553/EC |
| Reaction to fire | Class A1 |
| Applications | Refer to the relevant part of BS 7533 for the correct sub-base design and the most suitable product size for your application. Available from www.bsigroup.com |
| Energy used | 100% renewable energy |
| Water used | 100% from our rainwater harvesting system and groundwater bore hole |
| Recycled content | Not less than 6% |
| Carbon Footprint | Not more than 14.60 kgCo ² e/m ² |
| Recyclable | 100% of this product can be recycled |
| Manufacturing & Delivery | From one location within the UK |
| breeam rating www.bre.co.uk | 50: A , according to the Green Guide to Specification, 4 th Edition 2009. A+ , can be achieved when used in conjunction with a prepared recycled sub-base. |

Tobermore products are manufactured in accordance with an accredited ISO 9001:2015 Quality Management. Manufacturing facilities are accredited to ISO14001:2015 Environmental Management. The company publish environmental labels and declarations in accordance with BES 6001.



Sienna



Stock

| product | size (mm) | colours available | in stock | m² per pack | m² per slice | no. per m² | no. per pack | weight kg per pack GB | weight kg per pack NI/ROI |
|---|----------------------------------|----------------------------|----------|----------------|-----------------|---------------|-----------------|--------------------------|------------------------------|
| Sienna 50mm | 208 x 173 x 50 | Graphite, Silver, Mid Grey | YES | 14.04 | 2.34 | 27.79 | 390 | 1628 | 1628 |
| Sienna Duo 50mm (both sizes in one pack) | 208 x 173 x 50 173 x 173 x 50 | Graphite, Silver, Mid Grey | YES | 13.86 | 0.99 | 30.3 | 210 210 | 1606 | 1607 |

Graphite



Silver



Mid Grey



IMPORTANT INFORMATION

Light coloured blocks emphasise tyre marks and oil spills. It must be accepted that these products will need more maintenance if the overall appearance is to be maintained.